TABLE OF CONTENTS

C-Arms 3
OEC GE OEC ELITE CFD 21cm Flat Detector C-Arm - General Surgery Package 4
OEC GE OEC ELITE CFD 31cm Flat Detector Super C-Arm - General Surgery Software Package 4
OEC 9800 C-Arm, 12” with Vascular Package & New Flat Panel Upgrade 5
Philips Veradius Unity Flat Detector C-Arm 6
OEC GE OEC ELITE CFD 31cm Flat Detector Super C-Arm - VAS 15 Software Vascular Package 6
OEC GE OEC ELITE CFD 21cm Flat Detector C-Arm - VAS 15 Software Vascular Package 7
OEC 9900 Elite C-Arm, 12” with Vascular Package 8
Orthoscan Pulse Mini C-Arm with Flat Detector 9
Orthoscan OR Mini C-Arm with Flat Detector 10
Hologic Floroscan InSight FD Mini C-arm 10
OEC 9900 C-Arm, 9” with Vascular Package 11
Siemens Cios Alpha C-arm with Vascular Package 12
OEC 9800 C-Arm, 9” C-arm with GSP & Flat Panel Upgrade 12
OEC Elite C-Arm,OEC Elite 9in VAS MTS C-Arm 13
TEAC UR-4MD Medical Video Recorder 13
OEC 9900 C-Arm, 12” Elite with General Surgery Package 14
OEC 9900 C-Arm, 12” Elite with Expanded Surgery Package 14
Orthoscan Mini C-Arm Flat Detector 15
OEC 9900 C-Arm, 9” Elite with General Surgery Package 16
Refurbished OrthoScan Mobile DI with Accessory Cart and Carrying Case 16
Ziehm Solo 9 in C-Arm 16
Siemens Arcadis Avantic C-Arm 13” II 17
Hologic Insight II Mini C-arm 17
Orthoscan Mini C-Arm HD 1000-0004 18
OEC 9800 with 12" Image Intesifier and ESP Package 18
OEC 9800 C-Arm 9" image intensifier with GSP package 19
OEC 9800 C-arm 12" ii General Surgery Package 19
OEC 9800 with Super C-Arm and Dual High Res 16" Monitors 20

OEC 9800 with 9" Image Intensifier and ESP Package 20
OEC 6600 Mini C-Arm 21
OEC 9800 C-Arm, 9" Super C with GSP & Flat Panel Upgrade 21
OEC 9800 C-Arm, 9" Super C with GSP 22
OEC 9800 C-Arm, 12" with Vascular Package 22
OEC 6800 MiniView C-Arm 23
OEC 9600 C-Arms 24



C-ARMS

An essential part of surgical day-to-day operations, C-Arms offer high resolution and innovative X-Ray imaging technology. Auxo Medical provides top of the line brands in C-Arm imaging, such as OEC and Genoray.

Our C-Arm machines are precise and flexible, allowing you to capture the images your facility needs in less time. Offering units with superior user interfaces, high image quality, our C-Arms are highly desirable in any setting. Also, with less radiation exposure for patients and professionals, our C-Arms provide the images you need while ensuring the safety of staff and patients. For any fluoroscopic imaging needs, Auxo Medical understands how vital C-Arm imaging is during procedures.

Our catalog consists of brand new, reconditioned and refurbished equipment. Would you like to filter the equipment by:

BRAND NEW

RECONDITIONED

REFURBISHED



OEC GE OEC ELITE CFD 21CM FLAT DETECTOR C-ARM - GENERAL SURGERY PACKAGE

Experience precision and clarity in every procedure with the **GE OEC Elite CFD 21cm Flat Detector C-Arm General Surgery Packag**e. Building on the trusted GE OEC 9900 lineage, this sixth-generation system replaces the traditional image intensifier with a 21 cm CMOS Flat Panel Detector and pairs it with a 32" LED UHD 4K monitor (extendable to 27") for dramatically improved image quality and easier viewing. It delivers renowned imaging with enhanced planning tools—Live Zoom, Digital Pen, measurements, and annotations, plus automatic imaging profiles like General HD to highlight critical anatomy. The TrueView low-profile X-ray tube housing brings the detector closer to the patient for up to a 22% larger field of view, while smarter dose control offers six configurable options (Digital Spot, Digital Cine Pulse, High/Standard/Low Dose, and Pulse) to balance image quality and patient safety. User experience is streamlined with easier C-arm maneuverability, a simplified interface with more active icons, a lightweight SmartConnect workstation, and six dose controls that can be combined as needed. Six-mode imaging versatility supports orthopedics, GI, endoscopic, urologic, neurologic, critical care, emergency, and vascular procedures with exceptional detail thanks to a 21 cm CFD providing up to 2.5–3.3 lp/mm central resolutions across selectable modes and a DQE of 72% for efficient, high-contrast imaging.

Read More
SKU: AM-OECCFD-21
Price: Request Quote



OEC GE OEC ELITE CFD 31CM FLAT DETECTOR SUPER C-ARM - GENERAL SURGERY SOFTWARE PACKAGE

The GE OEC Elite CFD 31 cm Flat Detector Super C-Arm combines the trusted GE imaging heritage with a modern 31 cm CMOS Flat Panel Detector and a 32" UHD 4K monitor to deliver sharper, larger, and more accurate surgical visualization across orthopedics, GI, urology, neurosurgery, and vascular procedures. It offers enhanced planning with Live Zoom, Digital Pen, measurements and annotations, automatically optimized imaging profiles, and a true low-profile X-ray tube housing that brings the detector closer for up to a 22% larger field of view. The system emphasizes ease of use and dose control with a simplified interface, six configurable dose options, lighter maneuverability, SmartConnect workstations, and intelligent dose management, all backed by a 1-year comprehensive service agreement and a straightforward financing structure. This makes the Elite CFD an ideal upgrade for high-demand operating rooms seeking superior image quality, streamlined workflow, and reliable performance.

Read More
SKU: AM-OECCFD-31
Price: Request Quote



OEC 9800 C-ARM, 12” WITH VASCULAR PACKAGE & NEW FLAT PANEL UPGRADE

The **OEC 9800 C-Arm, 12” with Vascular Package & New Flat Panel Upgrade** is a comprehensive imaging solution designed to enhance vascular and surgical procedures with advanced technology and versatile features. This system includes a dedicated Vascular Surgery Software Package, a new dual flat panel upgrade with 20.1-inch grayscale LED LCD displays, and a tri-mode 12/9/6-inch image intensifier, providing high-resolution imaging with 1,000 x 1,000 pixels and 2MP per display. It offers 63 image storage capacity, along with features like Last Image Hold, Edge Enhancement, Gamma Correction, and Digital Windowing, all supported by MARS-Motion Artifact Reduction for clearer images. The user-friendly Patient Annotation Keyboard simplifies workflow, while the LED LCD monitor upgrade replaces bulky CRTs with lightweight, high-quality screens mounted on an innovative articulating arm for easy maneuverability. The dual 20.1” displays boast 1200 cd/m² luminance, a 1500:1 contrast ratio, and a 178-degree viewing angle, ensuring excellent visibility from multiple positions. Designed for quick, 45-minute installation, this system includes all necessary accessories and hardware, ultimately increasing your ROI by providing superior image quality,

operational efficiency, and extended equipment lifespan.

Read More
SKU: AM-OEC9800-12-VP-FP
Price: Request Quote



PHILIPS VERADIUS UNITY FLAT DETECTOR C-ARM

The **Philips Veradius Unity Flat Detector C-Arm** is a cutting-edge mobile imaging solution designed to enhance surgical precision and efficiency. Key features include a wireless foot switch, accurate repositioning with Position Memory, and Dose Aware real-time dose feedback, along with a rapid system startup time of less than 70 seconds. The system boasts exceptional image quality facilitated by a third-generation flat detector, providing high-quality fluoroscopy, exposure, subtraction runs, and roadmap guidance for a variety of procedures. Philips' ClearGuide and color coding expedite positioning, while Position Memory allows storage and recall of up to four positions. The flat detector, with a 10.3" field of view and 13:1 grid ratio, calibrates itself every 5 minutes and can be easily removed for optimized imaging of small anatomies. Its high dynamic range (96 dB) delivers higher contrast images. The C-arm offers extensive movement capabilities, including angulation, motorized height adjustment, longitudinal movement, panning, and rotation. The mobile view station features dual 19” high-brightness color LCD monitors with high resolution and wide viewing angles. The system is powered by a monoblock X-ray generator with a rotating anode X-ray tube, offering a range of operating values for pulse fluoroscopy, exposure runs, and single-shot exposures. X-ray collimation includes full lead shutters with Automatic Shutter Positioning (ASP). The integrated laser in the flat detector aids in precise alignment. Communication features include IP addressing, wireless standards support, and robust security protocols.

Read More
SKU: AM-PH-VER-U-FD
Price: Request Quote



OEC GE OEC ELITE CFD 31CM FLAT DETECTOR SUPER C-ARM - VAS 15 SOFTWARE VASCULAR PACKAGE

The **GE OEC Elite CFD 31cm Flat Detector Super C-Arm, equipped with VAS 15 Software and a Vascular Package**, represents the pinnacle of mobile imaging advancements, evolving from the renowned GE OEC 9900. This sixth-generation GE OEC C-arm distinguishes itself with a cutting-edge Flat Panel Detector, replacing traditional image intensifiers, which, coupled with a new 32" LED display, delivers significantly enhanced image quality. Perfectly suited for a broad spectrum of surgical applications, including orthopedic, gastrointestinal, endoscopic, urologic, neurologic, critical care, emergency, and vascular procedures, the OEC Elite CFD offers superior planning tools like Live Zoom, Digital Pen, measurements, and annotations. Automatic imaging profiles, including General HD, accentuate critical anatomy, while the TrueView low-profile X-ray tube housing allows for closer detector positioning, increasing the field of view by up to 22%. The system features an enhanced user experience with easy C-arm maneuverability, a simplified user interface, and a lightweight workstation with SmartConnect. Intelligent Dose Control provides six dose control options for optimized imaging. Key specifications include a 31cm CMOS flat panel detector with tri-mode functionality, high resolution, and a removable grid with on-screen detection status. The purchase includes a one-year parts, service, and labor agreement, complete with PM and full glassware coverage, and a 98% uptime guarantee, ensuring reliable performance and peace of mind.

Read More
SKU: AM-OECCFD-31-VP
Price: Request Quote



OEC GE OEC ELITE CFD 21CM FLAT DETECTOR C-ARM - VAS 15 SOFTWARE VASCULAR PACKAGE

The **GE OEC Elite CFD 21cm Flat Detector C-Arm with VAS 15 Software Vascular Package** represents a significant upgrade in mobile imaging technology, building upon the legacy of the OEC 9900. This sixth-generation C-arm replaces the traditional image intensifier with a cutting-edge flat panel detector, delivering greatly improved image quality displayed on a new 32" LED monitor. Ideally suited for a wide range of surgical applications, including orthopedic, gastrointestinal, endoscopic, urologic, neurologic, critical care, emergency, and vascular procedures, the OEC Elite CFD offers enhanced planning capabilities with Live Zoom, Digital Pen, measurements, and annotations. Automatic imaging profiles, including General HD, help accentuate critical anatomy, while the TrueView low-profile X-ray tube housing allows the detector to be closer to the anatomy, creating up to a 22% larger field of view. The system boasts enhanced user experience with easy C-arm maneuverability, a simplified user interface, and a lightweight workstation with SmartConnect. Intelligent Dose Control offers six dose control options for optimized imaging. Key specs include a 21cm CMOS flat panel detector with tri-mode functionality, high resolution, and a removable grid. The purchase includes a one-year parts, service, and labor agreement, including PM and full glassware coverage, with a 98% uptime guarantee.

Read More
SKU: AM-OECCFD-21-VP
Price: Request Quote



OEC 9900 ELITE C-ARM, 12” WITH VASCULAR PACKAGE

The **OEC 9900 Elite C-Arm with a 12” image intensifier and Vascular Packag**e is a powerhouse imaging solution designed for precision and efficiency. Equipped with features like DICOM 3.0, a tri-mode image intensifier, and advanced 1kx1kx16 bit digital image processing with noise filter and real-time variable DRM enhancement, the OEC 9900 delivers exceptional image quality. The system also includes user-friendly tools such as Zoom and Roam, Negate Mode, dual articulating high-resolution LCD monitors, and automatic and manual contrast/brightness control. Designed for vascular procedures, it offers Real Time Digital Subtraction (DSA), Peak Opacification, Roadmapping, Re-registration, Variable Landmarking, and Mask Save/Recall. With a robust 15kW generator, a 1.6 MHU X-Ray tube, and a digital video imaging system offering 1000 image storage, the OEC 9900 ensures reliable performance. The included one-year parts, service, and labor agreement, complete with PM and full glassware coverage and a 98% uptime guarantee, provides peace of mind and ensures continuous operation.

Read More
SKU: AM-OEC9900-12-VP
Price: Request Quote



ORTHOSCAN PULSE MINI C-ARM WITH FLAT DETECTOR

The **OrthoScan Pulse Mini C-Arm with a Flat Detector** represents a significant advancement in medical imaging technology, offering unparalleled precision and image quality. This cutting-edge device introduces pulsed fluoroscopy and boasts the largest flat detector in its class, ensuring exceptional diagnostic accuracy with enhanced grayscale imaging. Prioritizing patient and staff safety, the system significantly reduces radiation exposure by 30-80%, thereby minimizing potential health risks during procedures. The innovative design features the thinnest flat detector housing available, allowing for direct placement on the operating surface. This not only reduces operating room time and sterility risks but also enhances maneuverability and workflow efficiency. With a greater arc depth of 19.2 and a 38% larger "live" image compared to competitors, the OrthoScan FD delivers superior resolution and minimal geometric distortion. Its solid-state detector is more reliable than traditional glass tubes, and with fewer components, the potential for part failure is reduced. The system also supports EMR connectivity for US customers, industry-standard DVI/VGA outputs, and can store up to 8,000 images, all while maintaining a compact weight of 400 pounds.

Read More
SKU: AM-ORTHO-FD-Pulse
Price: Request Quote



ORTHOSCAN OR MINI C-ARM WITH FLAT DETECTOR

The **OrthoScan FD mini c-arm with a flat detector** and OR Version is a cutting-edge imaging solution designed to enhance surgical efficiency and patient comfort. Its innovative 150° orbital rotation and compact design facilitate optimal positioning within the surgical environment, ensuring exceptional maneuverability and workflow improvements. The thinnest flat detector housing available allows for direct placement on the operating surface, thereby minimizing operating room time and reducing sterility risks. This user-driven design delivers superior image quality with increased grayscale for improved diagnostic accuracy, while surgical lights on the x-ray source's undersurface minimize shadows, providing primary illumination in the surgical field. The OrthoScan FD boasts a greater arc depth of 19.2 and offers a "live" image that is 38% larger than competitors, with a resolution capability range of 2k x 1.5k and a frame rate of 30 frames per second. The viewing area is expansive at 167 cm^2, and the solid-state detector ensures reliability by reducing component failure risks. Additionally, it features industry-standard DVI/VGA outputs, the ability to store 8,000 images on the unit, and enables EMR connectivity for US customers, making it a robust and efficient addition to any surgical setting.

Read More
SKU: AM-ORTHO-FD-OR
Price: Request Quote



HOLOGIC FLOROSCAN INSIGHT FD MINI C-ARM

The **Hologic Floroscan InSight FD Mini C-arm** is a sophisticated imaging device designed to enhance surgical precision and ease of use. Featuring a dual field flat detector with a thin profile, this mini C-arm offers exceptional maneuverability, with a 90-degree rotation on its axis to accommodate various procedural requirements. Its high-speed automatic beam collimator tracking, combined with a forward-mounted tube-head, ensures deep C-arm access and optimal imaging angles. The system operates within a power range of 40-75 KVp and 20-100 micro Amps, delivering ultra-fine image resolution thanks to a 45-micron focal spot X-ray source, automatic dose rate calibration, and advanced image processing capabilities. A 20” high-definition touch-sensitive LCD monitor provides ergonomically adjustable viewing, allowing for up to 18 simultaneous images in a customizable mosaic display. The C-arm features full 120-degree orbital rotation with locking capability and integrates a laser light with customizable settings. Advanced image manipulation tools, including brightness and contrast controls, real-time noise suppression, and edge enhancement, are accessible via the tube-head, touch screen, or keyboard. The system supports continuous fluoro, snap-shot imaging, and cine imaging with instant playback. Its robust storage and networking capabilities allow for easy image import/export via USB and CD/DVD, with optional full DICOM network functionality and a substantial 8,000 image storage capacity. Surgeon-friendly features include customizable physician preference configurations, a versatile alphanumeric keyboard, and a triple-function foot switch available in wireless or wired options. Despite its comprehensive offerings, the warranty does not cover glassware, emphasizing the need for careful handling. Overall, the Hologic Insight FD Mini C-arm stands out for its advanced technology, user-friendly design, and extensive connectivity options, making it an invaluable tool in modern surgical environments.

Read More
SKU: AM-INSIGHT-FD
Price: Request Quote



OEC 9900 C-ARM, 9” WITH VASCULAR PACKAGE

The **OEC 9900 C-Arm with a 9” image intensifier and a specialized vascular package** represents a pinnacle in advanced imaging technology designed for a wide array of interventional procedures. This precision-engineered equipment is tailored to meet the intricate needs of vascular surgery, offering unparalleled clarity, real-time imaging, and superior flexibility. The inclusion of the vascular package enhances the device's capability by providing specialized software and hardware features for detailed vascular imaging. These features include but are not limited to, roadmapping, digital subtraction angiography (DSA), and peak opacification to assist in visualizing the vascular system clearly and in real-time during interventions. Its ergonomic design ensures ease of use, enabling physicians to focus on the procedure without worrying about equipment limitations. With its robust construction and state-of-the-art technology, the OEC 9900 C-Arm with a 9” image intensifier and vascular package is indispensable for any healthcare facility looking to offer cutting-edge vascular interventions.

Read More
SKU: AM-OEC9900-9-VP
Price: Request Quote



SIEMENS CIOS ALPHA C-ARM WITH VASCULAR PACKAGE

Patient Ready Cios Alpha

Cios Alpha is a high-end C-arm system with a dynamic flat detector for fluoroscopy and acquisition of single images. The compact, mobile system is designed for use in cardiovascular surgery, gastroenterology, urology, emergency surgery, orthopedics and general surgery.

Read More
SKU: AM-CIOS-ALPHA-V
Price: Request Quote



OEC 9800 C-ARM, 9” C-ARM WITH GSP & FLAT PANEL UPGRADE

Price Includes FDA 2579 documentation

Warranty includes FULL glassware coverage (Image Intensifier, etc.) Often companies will pro-rate replacement glassware parts while under warranty.

Read More
SKU: AM-OEC9800-9-GSP-FP
Price: Request Quote



OEC ELITE C-ARM,OEC ELITE 9IN VAS MTS C-ARM

Innovative Features
• Live Zoom up to 4X original size, pan to area of interest, and image in zoomed setting with no change in technique
• Digital Pen allows drawing directly on screen, with lines that remain persistent on live image
• Measurement and annotation tools to assist in procedure planning
• Reference Image Hold for quick comparisons
• Automatic imaging profiles, including General HD, help accentuate critical anatomy
See more in description below

Read More
SKU: AM-OEC-ELITE-9-VAS
Price: Request Quote



TEAC UR-4MD MEDICAL VIDEO RECORDER

Full HD 1920 x 1080 video recording
Extreme ease of use
Advanced Fail-safe features
3.5" LCD monitor for Live View, Playback or GUI
TEAC UR-4MD is TEAC's latest high-definition medical video recorder designed for quick set up and ease of use, yet includes a robust list of features and capabilities.

Read More
SKU: AM-UR-4MD
Price: Request Quote



OEC 9900 C-ARM, 12” ELITE WITH GENERAL SURGERY PACKAGE

1 Year Parts and Labor Service Warranty (Including glassware, PM and a 98% uptime guarantee)

Read More
SKU: AM-OEC9900-12-GSP
Price: Request Quote



OEC 9900 C-ARM, 12” ELITE WITH EXPANDED SURGERY PACKAGE

1 Year Parts and Labor Service Warranty (Including glassware, PM and a 98% uptime guarantee)

Read More
SKU: AM-OEC9900-12-ESP
Price: Request Quote



ORTHOSCAN MINI C-ARM FLAT DETECTOR

The **Orthoscan Mini C-Arm Flat Detector** is a compact, high-performance imaging system designed to improve positioning, workflow, and diagnostic accuracy in the surgical environment. Its ultra-thin flat detector housing allows placement directly on the operating surface, while the compact design and 150° orbital rotation provide enhanced maneuverability and preferred imaging angles without stressing patient anatomy. The system delivers exceptional image quality with increased grayscale, a 38% larger live image than the largest competitor image, up to 2K × 1.5K resolution, 30 frames per second, a 167 cm² viewing area, uniform field response, minimal geometric distortion, and industry-standard DVI/VGA outputs. Bilateral sterile-field controls provide convenient access to imaging and documentation from either side of the tube head, while integrated surgical lights help reduce shadows in the operative field. The reliable solid-state detector, EMR connectivity for U.S. customers, storage for up to 8,000 images, and reduced component count further support efficient clinical use. Weighing approximately 400 pounds, the system includes delivery, installation, FDA Report of Assembly, system demonstration, and a one-year parts, labor, and service warranty, including preventive maintenance and glassware.
Read More
SKU: AM-ORTHO-FD
Price: Request Quote



OEC 9900 C-ARM, 9” ELITE WITH GENERAL SURGERY PACKAGE

Delivery, installation, FDA Report of Assembly, System demonstration and a 1 Year Parts and Labor Service Warranty (Including glassware, PM and a 98% uptime guarantee)

Read More
SKU: AM-OEC9900-9-GSP
Price: Request Quote



REFURBISHED ORTHOSCAN MOBILE DI WITH ACCESSORY CART AND CARRYING CASE

Includes stand for Mobile DI, delivery, installation, FDA Report of Assembly, training.

Read More
SKU: AM-ORTHOSCAN-MDI
Price: Request Quote



ZIEHM SOLO 9 IN C-ARM

Thanks to the integrated monitor, this C-arm is one of the most compact and versatile on the market. The Ziehm Solo is especially designed for crowded treatment scenarios in pain management, orthopedics and other applications. As an option, the Ziehm Solo can be easily supplemented with a Ziehm Viewing Station and ceiling or wall-mounted monitors. It is also available as a portable option for field operations.

Read More
SKU: AM-Z-SOLO-9
Price: Request Quote



SIEMENS ARCADIS AVANTIC C-ARM 13” II

Siemens Arcadis Avantic C-Arm 13”
Rotating X-ray Tube Anode
High Frequency
Pulsed Fluoroscopy
Last Image Hold
0-32 Frame Integration
Reverse Position
Color-coded Brakes
DICOM Option
DSA Option
Selectable Dose Curves

Read More
SKU: AM-S-ARC-AVANTIC-13
Price: Request Quote

HOLOGIC INSIGHT II MINI C-ARM



The Fluoroscan InSight 2 mini C-arm is an intuitive and easy-to-use, cost effective system designed specifically for the orthopedic and extremity imaging market. With high quality digital images, simplified operation and easy mobility, the system is the ideal choice for the operating room, emergency department, doctor’s office, surgery center, and sports medicine facility. The system is equipped with a standard 6”/4” image intensifier and delivers ultra-fine, low-dose fluoroscopy and snap-shot images. New system enhancements have been made to help you see more; a 24” high-definition, hi-bright monitor paired with MegaView™ Image ensures you see your images at their largest and sharpest – even from a distance.

Read More
SKU: AM-INSIGHT-II
Price: Request Quote

ORTHOSCAN MINI C-ARM HD 1000-0004



OrthoScan HD Mini C-Arm is half the size and 28% lighter than the competition. The smaller size facilitates ease of movement and improves maneuverability. We are putting control back in the surgeon’s hands and making a difference in the experience for every user.

Includes Installation and Delivery

Read More
SKU: AM-ORTHO-HD1000-0004
Price: Request Quote



OEC 9800 WITH 12" IMAGE INTESIFIER AND ESP PACKAGE

Includes: Delivery, installation, (1) one year warranty on all Parts and Labor in the Continental United States

Read More
SKU: AM-OEC9800-12-ESP
Price: Request Quote



OEC 9800 C-ARM 9" IMAGE INTENSIFIER WITH GSP PACKAGE

Built on a solid foundation of leadership and experience, thousands of OEC 9800 Plus systems are installed worldwide. When you need a familiar, hard-working system to meet your clinical needs, trust the OEC 9800 to deliver with classic power and performance. From the ER, OR or pain management clinic, you can leverage the versatility of OEC 9800 to perform diagnostic or interventional applications with confidence.

Download Brochure
Read More
SKU: AM-OEC9800-9-GSP
Price: Request Quote



OEC 9800 C-ARM 12" II GENERAL SURGERY PACKAGE

The OEC 9800 is the gold standard in mobile fluoroscopy applications and innovative X-ray imaging technology. Built on the leadership and experience of thousands of systems installed world-wide, GE has set a new standard in mobile C-arm imaging with the OEC 9800. Originally manufactured from 2000-2006.Rotating X-ray Tube, Tri-Mode 12"/9"/6" Image Intensifier (I.I.)

Download Brochure
Read More
SKU: AM-OEC9800-12-GSP
Price: Request Quote



OEC 9800 WITH SUPER C-ARM AND DUAL HIGH RES 16" MONITORS

The OEC 9800 is the gold standard in mobile fluoroscopy applications and innovative X-ray imaging technology. Built on the leadership and experience of thousands of systems installed world-wide, GE has set a new standard in mobile C-arm imaging with the OEC 9800. Originally manufactured from 2000-2006. Rotating X-ray Tube, Tri-Mode 9"/6"/4.5" Image Intensifier (I.I.)

Download Brochure
Read More
SKU: AM-OEC9800-SC-HR
Price: Request Quote



OEC 9800 WITH 9" IMAGE INTENSIFIER AND ESP PACKAGE

The OEC 9800 is the gold standard in mobile fluoroscopy applications and innovative X-ray imaging technology. Built on the leadership and experience of thousands of systems installed world-wide, GE has set a new standard in mobile C-arm imaging with the OEC 9800. Originally manufactured from 2000-2006.Dual Hi-Resolution 16" Square Monitors (Comparable to regular 19" Monitors)

Download Brochure
Read More
SKU: AM-OEC9800-9-ESP
Price: Request Quote



OEC 6600 MINI C-ARM

The OEC 6600 Mini C-Arm brings the quality and reputation you have come to expect from the world leader in C-Arm design. The 6600 is a portable C-Arm system that can be used for the imaging of extremities. It comes with the option of a 4" or 6" image intensifier and two 16" monitors. It is easy to use and small enough to be operated by a staff person or surgical technician. It does not need to be operated by an X-ray technologist. Depending on its configuration, the OEC 6600 Mini C-Arm can store a minimum of 64 to a max of 200 images.

Download Brochure
Read More
SKU: AM-OEC6600
Price: Request Quote



OEC 9800 C-ARM, 9" SUPER C WITH GSP & FLAT PANEL UPGRADE

The OEC 9800 is the gold standard in mobile fluoroscopy applications and innovative X-ray imaging technology. Built on the leadership and experience of thousands of systems installed world-wide, GE has set a new standard in mobile C-arm imaging with the OEC 9800. Originally manufactured from 2000-2006.

Read More
SKU: AM-OEC9800-9-GSP-SC-FP
Price: Request Quote



OEC 9800 C-ARM, 9" SUPER C WITH GSP

The OEC 9800 is the gold standard in mobile fluoroscopy applications and innovative X-ray imaging technology. Built on the leadership and experience of thousands of systems installed world-wide, GE has set a new standard in mobile C-arm imaging with the OEC 9800. Originally manufactured from 2000-2006.

Read More
SKU: AM-OEC9800-9-GSP-SC
Price: Request Quote



OEC 9800 C-ARM, 12" WITH VASCULAR PACKAGE

The OEC 9800 is the gold standard in mobile fluoroscopy applications and innovative X-ray imaging technology. Built on the leadership and experience of thousands of systems installed world-wide, GE has set a new standard in mobile C-arm imaging with the OEC 9800. Originally manufactured from 2000-2006.

Read More
SKU: AM-OEC9800-12-VP
Price: Request Quote





OEC 6800 MINIVIEW C-ARM

The **OEC 6800 MiniView C-Arm** is widely regarded as one of the most advanced mini C-arms available, combining innovative features with exceptional imaging capabilities. As the first mini C-Arm to incorporate touchscreen operation and 1k x 1k 16-bit image processing, it delivers superior image quality with real-time motion artifact and noise reduction, ensuring clearer, more accurate imaging during procedures. This compact and portable device features dual 16-inch high-resolution monitors, a CCD camera, and removable PC diskette image archive capabilities, along with an optional thermal printer for convenient documentation. Its advanced imaging technologies include automatic and manual digital brightness and contrast controls, noise filtering with on-screen indicators, and the MANRS system for real-time motion artifact and noise reduction. Designed for versatility, the unit supports 200 image storage, with options for increased capacity, relative measurement software, and real-time edge enhancement on hospital platform versions. Additional features such as a footswitch, contrast controls, and DICOM enhancements (optional) make the OEC 6800 MiniView a reliable, efficient, and cost-effective solution for demanding imaging needs in a compact form factor.

Download Brochure
Read More
SKU: AM-OEC6800
Price: Request Quote



OEC 9600 C-ARMS

The OEC 9600 Digital Mobile C-Arm provides great images with low dose exposure. The 9600 is maneuverable, is simple to operate, & provides large images. Originally manufactured between 1994-2000.

Download Brochure
Read More
SKU: AM-OEC9600
Price: Request Quote

INDEX

H

Hologic Floroscan InSight FD Mini C-arm 9
Hologic Insight II Mini C-arm 16

O

OEC 6600 Mini C-Arm 19
OEC 6800 MiniView C-Arm 21
OEC 9600 C-Arms 22
OEC 9800 C-arm 12" ii General Surgery Package 18
OEC 9800 C-Arm 9" image intensifier with GSP package 17
OEC 9800 C-Arm, 12" with Vascular Package 21
OEC 9800 C-Arm, 12” with Vascular Package & New Flat Panel Upgrade 3
OEC 9800 C-Arm, 9" Super C with GSP 20
OEC 9800 C-Arm, 9" Super C with GSP & Flat Panel Upgrade 20
OEC 9800 C-Arm, 9” C-arm with GSP & Flat Panel Upgrade 11
OEC 9800 with 12" Image Intesifier and ESP Package 17
OEC 9800 with 9" Image Intensifier and ESP Package 19
OEC 9800 with Super C-Arm and Dual High Res 16" Monitors 18
OEC 9900 C-Arm, 12” Elite with Expanded Surgery Package 13
OEC 9900 C-Arm, 12” Elite with General Surgery Package 12
OEC 9900 C-Arm, 9” Elite with General Surgery Package 14
OEC 9900 C-Arm, 9” with Vascular Package 10
OEC 9900 Elite C-Arm, 12” with Vascular Package 7
OEC Elite C-Arm,OEC Elite 9in VAS MTS C-Arm 11
OEC GE OEC ELITE CFD 21cm Flat Detector C-Arm - General Surgery Package 2
OEC GE OEC ELITE CFD 21cm Flat Detector C-Arm - VAS 15 Software Vascular Package 6
OEC GE OEC ELITE CFD 31cm Flat Detector Super C-Arm - General Surgery Software Package 3
OEC GE OEC ELITE CFD 31cm Flat Detector Super C-Arm - VAS 15 Software Vascular Package 5
Orthoscan Mini C-Arm Flat Detector 13
Orthoscan Mini C-Arm HD 1000-0004 16
Orthoscan OR Mini C-Arm with Flat Detector 8
Orthoscan Pulse Mini C-Arm with Flat Detector 7

P

Philips Veradius Unity Flat Detector C-Arm 4

R

Refurbished OrthoScan Mobile DI with Accessory Cart and Carrying Case 14

S

Siemens Arcadis Avantic C-Arm 13” II 15
Siemens Cios Alpha C-arm with Vascular Package 10

T

TEAC UR-4MD Medical Video Recorder 12

Z

Ziehm Solo 9 in C-Arm 15